



Model EVA Series Powered Air-Purifying Respirator

Bullard
 Cynthiana, KY 41031 USA
 1-800-827-0423



This respirator is approved only in the following configuration:

| RESPIRATOR COMPONENTS | | | | | | | | | | | | | | | | | | | | | | | |
|-----------------------|--------------------------|--------------------------------|---------|----------------|----------------------|------|--------|-----------|---------|-------------|------|----------|---------|---------|---------|--------|---------|-------|-----------|----|----|------------------------------------|--------------|
| TC- | PROTECTION ¹ | ALTERNATE FACEPIECE ASSEMBLIES | | BREATHING TUBE | BLOWER UNIT ASSEMBLY | BELT | FILTER | CARTRIDGE | BATTERY | ACCESSORIES | | | | | | | | | | | | CAUTIONS/ LIMITATIONS ² | |
| | | PASPECML | PASPECS | | | | | | | PA4BT | EVA1 | EVABELT1 | PAPRFC3 | PAPRFC4 | EVABAT2 | EVASMC | EVAEXT1 | EVAGC | PAPRSUSP1 | PL | LC | | POLYBTC |
| 21C-0844 | HE | X | X | X | X | X | X | | X | X | X | X | X | X | X | X | X | X | X | X | | | ABCFIJLMNOP |
| 23C-2512 | OV/CD/CL/ HC/HF/SD/HE | X | X | X | X | X | | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | ABCFHIJLMNOP |

1 Protection

- HE - High Efficiency Particulate Air Filter for Powered Air Purifying Respirators
- OV - Organic Vapor
- CD - Chlorine dioxide
- CL - Chlorine
- HC - Hydrogen chloride
- HF - Hydrogen fluoride
- SD - Sulfur Dioxide

2 Cautions and Limitations

- A. Not for use in atmospheres containing less than 19.5% oxygen.
- B. Not for use in atmospheres immediately dangerous to life or health.
- C. Do not exceed maximum use concentrations established by regulatory standards.
- F. Do not use this respirator if airflow is less than four cfm (115 lpm) for tight-fitting facepieces or six cfm (170 lpm) for hoods and/or helmets.
- H. Follow established cartridge and canister change schedules or observe ESLI to ensure that cartridges and canisters are replaced before breakthrough occurs.
- I. Contains electrical parts which have not been evaluated as an ignition source in flammable or explosive atmospheres by MSHA/NIOSH.
- J. Failure to properly use and maintain this product could result in injury or death.
- L. Follow the manufacturer's instructions for changing cartridges and/or filters.
- M. All approved respirators shall be selected, fitted, used and maintained in accordance with MSHA, OSHA and other applicable regulations.
- N. Never substitute, modify, add or omit parts. Use only exact replacement parts in the configuration specified by the manufacturer.
- O. Refer to User's Instructions, and/or maintenance manuals for information on use and maintenance of these respirators.
- P. NIOSH does not evaluate respirators for use as surgical masks.